

## Rim Release®

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Rim Release®
<b>Part number</b>	TNDS8153, TNDS8253
<b>Product Family</b>	Mixture
<b>Manufacturer</b>	Shrader Canada Limited 830 Progress Court Oakville, ON L6L 6K1 +1.905.847.0222 www.shradercanada.com
<b>Emergency Contact Information</b>	CANUTEC, +1.613.996.6666, Operation hours: 24/7
<b>Use</b>	Rim release

### 2. HAZARDS IDENTIFICATION

#### Potential Health Effects

<b>Route of Exposure</b>	Skin contact; Eye contact; Ingestion.
<b>Inhalation</b>	At high concentrations: can irritate the nose and throat.
<b>Skin Contact</b>	May cause moderate to severe irritation.
<b>Eye Contact</b>	May cause mild irritation.
<b>Ingestion</b>	If large amounts are ingested: can irritate the mouth, throat and stomach.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration %	Other Identifiers
Xylene (mixed isomers)	1330-20-7	10-30	
Distillates (petroleum), hydrotreated light	64742-47-8	10-30	
Stoddard solvent	8052-41-3	10-30	
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	7-13	
Ethylbenzene	100-41-4	5-10	
n-Nonane	111-84-2	1-5	
Naphthalene	91-20-3	0.1-1.0	
1,2,4-Trimethylbenzene	95-63-6	0.5-1.5	

### 4. FIRST AID MEASURES

#### First Aid Procedures

<b>Inhalation</b>	Move victim to fresh air. Call a Poison Centre or doctor if the victim feels unwell.
<b>Skin Contact</b>	Quickly take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and non-abrasive soap for 5

MSDS Name: TNDS8153, TNDS8253 - Ver. 1  
 MSDS No.: TNDS8153, TNDS8253  
 Date of Preparation: January 03, 2018

**Eye Contact** minutes. Call a Poison Centre or doctor if the victim feels unwell. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. If a contact lens is present, DO NOT delay flushing or attempt to remove the lens. If irritation or pain persists, see a doctor.

**Ingestion** NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. DO NOT INDUCE VOMITING. Have victim rinse mouth with water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Have victim rinse mouth with water again.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** Carbon dioxide, dry chemical powder or appropriate foam.

**Unsuitable Extinguishing Media** DO NOT use water or water-based extinguishing agents.

**Specific Hazards Arising from the Chemical** Liquid can float on water and may travel to distant locations and/or spread fire. Gas or vapour may travel a considerable distance to a source of ignition and flash back to a leak or open container.

Very toxic carbon monoxide, carbon dioxide. and other unidentified organic compounds.

**Protective Equipment and Precautions for Firefighters** Fight fire from a safe distance or a protected location.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Eliminate all ignition sources. Use grounded, explosion-proof equipment. Remove or isolate incompatible materials as well as other hazardous materials. Vapour or gas may accumulate in hazardous amounts in low-lying areas especially inside confined spaces, if ventilation is not sufficient.

**Environmental Precautions** Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

**Methods for Containment and Clean-up** Stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

## 7. HANDLING AND STORAGE

**Handling** Do not puncture or incinerate container even when empty. Do not weld, cut or perform hot work on empty container until all traces of product have been removed. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Only use where there is adequate ventilation.

**Storage** Store in an area that is: cool, well-ventilated, out of direct sunlight and away from heat and ignition sources. Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this MSDS.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH® TLV®		OSHA PEL			
	TWA	STEL [C]	TWA	Ceiling		
Xylene (mixed isomers)	100 ppm A4	150 ppm A4	435 mg/m3	Not established		

MSDS Name: TNDS8153, TNDS8253 - Ver. 1

MSDS No.: TNDS8153, TNDS8253

Date of Preparation: January 03, 2018

Distillates (petroleum), hydrotreated light	200 mg/m <sup>3</sup> A3	Not established	Not established	Not established		
Stoddard solvent	100 ppm	Not established	Not established	Not established		
Ethylbenzene	20 ppm A3	Not established	100 ppm	Not established		
n-Nonane	200 ppm	Not established	Not established	Not established		
Naphthalene	10 ppm	15 ppm	10 ppm	Not established		
1,2,4-Trimethylbenzene	25 ppm	Not established	Not established	Not established		

**Engineering Controls** Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted.

### Personal Protective Equipment (PPE)

**Eye/Face Protection** Not required but it is good practice to wear safety glasses or chemical safety goggles.

**Skin Protection** Avoid repeated or prolonged skin contact.  
Suitable materials are: neoprene rubber, nitrile rubber.

**Respiratory Protection** Not normally required if product is used as directed.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid
<b>Appearance</b>	Clear colourless liquid.
<b>Odour</b>	Petroleum
<b>Boiling Point</b>	Not available
<b>Relative Density (water = 1)</b>	0.822
<b>Solubility in Water</b>	Negligible
<b>pH</b>	Not applicable
<b>Partition Coefficient, n-Octanol/Water</b>	Not available
<b>Viscosity-Kinematic</b>	< 14 centistokes at 40°C
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (air = 1)</b>	> 1
<b>Evaporation Rate</b>	Not available
<b>Flash Point</b>	30 °C
<b>Lower Flammable/Explosive Limit</b>	Not available
<b>Upper Flammable/Explosive Limit</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>VOC %</b>	95
<b>Flame projection</b>	Not applicable
<b>NFPA Classification</b>	Flammable liquid, Class IC

## 10. STABILITY AND REACTIVITY

**Chemical Stability** Normally stable.

MSDS Name: TNDS8153, TNDS8253 - Ver. 1

MSDS No.: TNDS8153, TNDS8253

Date of Preparation: January 03, 2018

**Conditions to Avoid** Open flames, sparks, static discharge, heat and other ignition sources. High temperatures.  
**Incompatible Materials** Strong oxidizing agents (e.g. perchloric acid).  
**Hazardous Decomposition Products** Very toxic carbon monoxide, carbon dioxide. and other unidentified organic compounds.

## 11. TOXICOLOGICAL INFORMATION

### General Comments

Information presented below is for the entire product, unless otherwise specified.

### LC50/LD50 Values

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Xylene (mixed isomers)	6350 ppm (male rat) (4-hour exposure)	3523 mg/kg (rat)	> 1700 mg/kg (rabbit)
Stoddard solvent	> 5500 mg/m <sup>3</sup> (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 3000 mg/kg (rabbit)
Ethylbenzene	~ 4000 ppm (rat) (4-hour exposure)	3500 mg/kg (rat)	15380 mg/kg (rabbit)
n-Nonane	3200 ppm (rat) (4-hour exposure)	> 15000 mg/kg (rat)	Not available
Naphthalene	141 ppm (rat) (4-hour exposure)	490 mg/kg (rat)	> 20000 mg/kg (rabbit)
1,2,4-Trimethylbenzene	18000 mg/m <sup>3</sup> (rat) (4-hour exposure)	5000 mg/kg (rat)	Not available

### Skin Irritation/Corrosion

There is limited evidence of moderate or severe irritation.

### Eye Irritation/Corrosion

There is limited evidence of mild irritation.

### Effects of Short-Term (Acute) Exposure

#### Inhalation

At high concentrations: may cause nose and throat irritation.

#### Skin Absorption

No information was located.

#### Ingestion

If large amounts are ingested: may cause a laxative effect.

### Effects of Long-Term (Chronic) Exposure

No information was located.

### Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

### Carcinogenicity

Chemical Name	ACGIH®	IARC	NTP	OSHA
Xylene (mixed isomers)	A4	Group 3	Not Listed	Not Listed
Distillates (petroleum), hydrotreated light	A3	Group 3	Not Listed	Not Listed
Ethylbenzene	A3	Group 2B	Not Listed	Not Listed
Naphthalene	A4	Group 2B	Reasonably anticipated	Not Listed

MSDS Name: TNDS8153, TNDS8253 - Ver. 1

MSDS No.: TNDS8153, TNDS8253

Date of Preparation: January 03, 2018

(Ethylbenzene) IARC: Group 2B – Possibly carcinogenic to humans.

(Naphthalene) IARC: Group 2B – Possibly carcinogenic to humans.

Key to Abbreviations

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

### Teratogenicity / Embryotoxicity

(Xylene (mixed isomers)) may cause effects on the unborn child based on limited evidence.

No information was located for: Reproductive Toxicity, Mutagenicity, Toxicologically Synergistic Materials

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Toxic to aquatic life.

**Persistence and Degradability** No information was located.

## 13. DISPOSAL CONSIDERATIONS

Empty containers retain product residue. Follow label warnings even if container appears to be empty. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

## 14. TRANSPORT INFORMATION

### Shipping Information

Regulation	UN No.	Shipping Name	Class	Packing Group
Canadian TDG	UN1993	Flammable liquid, n.o.s. (Xylene)	3	III
IMDG	UN1993	Flammable liquid, n.o.s. (Xylene)	3	III
ICAO/IATA	UN1993	Flammable liquid, n.o.s. (Xylene)	3	III

### Other Transport Information

**Special Shipping Information** Not applicable

**Emergency Response Guide No.** 128 EmS F-E, S-E

**Other Information** Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met. ICAO/IATA PI Y344/355/366

## 15. REGULATORY INFORMATION

### Canada

#### WHMIS Classification



Class B2



Class D2A; D2B

B2 - Flammable Liquid; D2A - Very Toxic; D2B - Toxic

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

MSDS Name: TNDS8153, TNDS8253 - Ver. 1

MSDS No.: TNDS8153, TNDS8253

Date of Preparation: January 03, 2018

## 16. OTHER INFORMATION

**NFPA Rating**                      **Health - 2    Flammability - 1    Instability - 0**

**MSDS Prepared By**              Regulatory Compliance

**Phone No.**                         800.201.9486

**Date of Preparation**            January 03, 2018

**Key to Abbreviations**        ACGIH® = American Conference of Governmental Hygienists

CANUTEC = Canadian Transport Emergency Centre

CAS = Chemical Abstract Service

CCOHS = Canadian Centre for Occupational Health & Safety

CNS = Central nervous system

GESTIS = GESTIS Substance Database

HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer

ICAO = International Civil Aviation Organization

IMDG = International Maritime Dangerous Goods Code

LC = Lethal concentration

LC = Lethal dose

NFPA = National Fire Protection Association

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration

PPM = Parts per million

RTECS® = Registry of Toxic Effects of Chemical Substances

STEL = Short term exposure limit

TDG = Transportation of Dangerous Goods Regulations (Canada)

TWA = Time weighted average

**References**                        Material safety data sheet from manufacturer.

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available from Canadian Centre for Occupational Health and Safety (CCOHS).

ECHA - European Chemical Agency, Classification and Labelling Inventory

GESTIS Substance Database

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

### **Disclaimer**

The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein.

---

MSDS Name:                        TNDS8153, TNDS8253 - Ver. 1

MSDS No.:                         TNDS8153, TNDS8253

Page 06 of 06

Date of Preparation:              January 03, 2018