

SAFETY DATA SHEET (SDS)

Section 1. Identification					
Product identifier 4545-000					
Other means of identification NONE					
Recommended use and restrictions on use Tire mounting Initial supplier identifier LUBRIMAX; 394, St-Paul, Repentigny, QC, J5Z 4H9; 877-585-5823/450-585-5823 WWW.LUBTEK.CA					
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification					
Classification of hazardous product (name of the category or subcategory of the hazard class)					
Flammable liquid (Category 3)					
Aspiration hazard (Category 1)					
Skin irritation (Category 2)					
Eye irritation (Category 2A)					
Specific target organ toxicity – single exposure (Category 3), Central nervous system					
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)					
H304 May be fat H315 Causes ski H319 Causes ser H336 May cause P210 Keep aw dust/fume/gas/m P280 Wear glow INDUCE VOMI + P352 IF ON contaminated clo lenses, if present Remove person dioxide, chemica	ious eye irritation. drowsiness or dizziness. ay from heat, hot surfaces, sparks, open ist/vapours/spray. P264 Wash hands/nails/face res/protective clothing/eye protection/face prote TING. P303 + P361 + P353 IF ON SKIN (or ha SKIN: Wash with plenty of water. P332 + P othing and wash it before reuse. P305+P351+P3 and easy to do. Continue rinsing. P337 + P3 to fresh air and keep comfortable for breathing. I powder agent and appropriate foam to extingu	thoroughly af ection. P301 air): Take off P313 IF SKIN 38 IF IN EYE 813 If eye irri . P312 Call a uish. P403 + F	ter handling. P271 Use only outdoo + P310 IF SWALLOWED: Immediately all contaminated clothi V irritation occurs: Get medical att S, Rinse cautiously with water for s tation persists: Get medical attentio doctor if you feel unwell. P370 + P 2233 + P235 Store in a well-ventilat	brs or in a well-ventilated area. diately call a doctor. DO NOT ng. Rinse skin with water. P302 ention. P362 + P364 Take off everal minutes. Remove contact n. P304 + P340 IF INHALED: '378 In case of fire: Use carbon ed place. Keep container tightly	
	ol. P405 Store locked up. P501 Dispose of con	itents/containe	er into safe container in accordance	with local, regional or national	
regulations. Other hazards l	xnown None				
Other nazarus r		ition/inform	nation on ingredients		
Chamical name	(common name/synonyms)	5111011/1111011	CAS number or other	Concentration (%)	
Aliphatic naphth			64742-88-7	60-100	
2-Butoxyethanol			111-76-2	<15	
	treated light paraffinic		64742-54-7	5	
2 Istillates il juis		4. First-aid		-	
Inhalation				vou feel unwell	
Ingestion	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim israpidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink twoglasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.				
Skin contact	IF ON SKIN, Wash with plenty of water for s				
Eye contact	IF IN EYES, Rinse cautiously with water f			uses, if present and easy to do.	
Most immontant	Continue rinsing. If eye irritation persists: Ge			9	
Most important symptoms and effects (acute or delayed)May be harmful if swallowed and enters airways.Indication of immediate medical attention/special treatmentIn all cases, call a doctor. Do not forget this document.					
Section 5. Fire-fighting measures					
Section 5. Fife-fighting measures Specific hazards of the hazardous product (hazardous combustion products)					
Carbon oxides and other irritant/toxic gases and fumes.					
Suitable and unsuitable extinguishing media					
	se carbon dioxide, chemical powder agent and a	ppropriate for	am to extinguish.		
Special protective equipment and precautions for fire-fighters					
During a fire, irr	itating/toxic smoke and fumes may be generated	l. Do not enter			
	nent and self-contained breathing apparatus with				
Move containers	from fire area if it can be done without risk. Wat	er spray may t	be useful in cooling equipment and ca	ns exposed to heat and flame.	



Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Avoid release to the environment. Collect spillage. Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required. Section 7. Handling and storage **Precautions for safe handling** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands/nails/face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect before handling. Label containers appropriately. Ensure proper ventilation. containers for leaks Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 111-76-2 – ACGIH – TLV-TWA 20 ppm & PEL-TWA 50 ppm; Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Section 9. Physical and chemical properties Appearance, physical state/colour Vapour pressure Not available Clear liquid **Odour** Characteristic Vapour density Heavier than air Odour threshold Not available 0.797 Relative density **pH** Not available Solubility Insoluble Melting/freezing point Not available Partition coefficient - n-octanol/water Not available Initial boiling point/range > 160°C Auto-ignition temperature Not available Flash point 50-60°C Closed cup **Decomposition temperature** Not available **Evaporation rate** Not available Viscosity Not available Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Other None known Not available Section 10. Stability and reactivity Reactivity Does not react under the recommended storage and handling conditions prescribed. Chemical stability Stable under the recommended storage and handling conditions prescribed. Possibility of hazardous reactions Accumulation of flammable if product is heated. Conditions to avoid (static discharge, shock or vibration) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. **Incompatible materials** Oxidizing materials; etc. Hazardous decomposition products None known

LUBRIMAX

Section 11. Toxicological information					
Information on the likely routes of exposure (in					
May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.					
Symptoms related to the physical, chemical and	d toxicological characteristics				
Skin irritation, redness, stinging, pain; Eye irri	tation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,				
drowsiness, nausea and headaches.					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization – No data available;					
Respiratory Sensitization – No data available;					
Germ Cell Mutagenicity – No data available;					
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;					
Specific Target Organ Toxicity — Single Exposure – Central nervous system;					
Specific Target Organ Toxicity — Repeated Exposure – No data available;					
Aspiration Hazard – Possible;					
Health Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD ₅₀ &	LC ₅₀)				
CAS 111-76-2 LD50 (oral, rat) 880 mg/kg & LD50 (dermal, rabbit) 1060 mg/kg;					
ATE not available in this document.					
	Section 12. Ecological information				
Ecotoxicity (aquatic and terrestrial information) No data available for this product.					
Persistence and degradability No data ava	ailable for this product.				
Bioaccumulative potential No data available for this product.					
Mobility in soil No data available for this pr	oduct.				
Other adverse effects No data available					
	Section 13. Disposal considerations				
Information on safe handling for disposal/meth					
Dispose of contents/container into safe container	n accordance with local, regional or national regulations.				
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
UN1268; PETROLEUM DISTILLATES, N.O.S.; CLASS 3; PG III					
UN number; Proper shipping name; Class(es);					
UN1268; PETROLEUM DISTILLATES, N.O.S.	CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
UN1268; PETROLEUM DISTILLATES, N.O.S.;	CLASS 3; PG III				
Special precautions (transport/conveyance)	May also be shipped as NOT REGULATED by ground in accordance with TDG.				
Environmental hazards (IMDG or other)	None				
Bulk transport (usually more than 450 L in car	pacity) Possible				
Section 15. Regulatory information					
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in				
	accordance with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/environmental outside regulations specifics					
None					

LUBRIMAX

Section 16. Other information				
Date of the latest revision of the safety data sheet June 25, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility				
of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.				