



# Safety Data Sheet

## Super Tires Lubricant



### 1. Identification

|  |   |
|--|---|
| <b>Product identifier</b>                                      | Super Tires Lubricant   |
| <b>Product code</b>  | 3202  |
| <b>Other means of identification</b>                           | Lubrifiant de Pneus Super.  |
| <b>Recommended use of the chemical and restrictions on use</b> | Lubricating grease.   |
| <b>Manufacturer</b>  | Ideal Perfor<br>5657 boul. Industriel<br>Montréal-nord, Québec<br>Canada H1G 3H7 Tél.<br>514.325.0326<br><br><a href="http://www.Idealperfor.com">www.Idealperfor.com</a> |
| <b>Emergency phone number</b>                                  | Canutec: 613-996-6666<br>Quebec Antipoison Center: 1-800-463-5060   |

### 2. Hazard identification

|                |   |
|----------------|---|
| <b>Summary</b> | Avoid contact with eyes. Avoid prolonged contact with skin. Avoid prolonged or repeated inhalation of mist or vapor. Do not ingest. If ingested consult physician immediately and show this Safety Data Sheet. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. |
|----------------|---|

#### WHMIS 2015/GHS/OSHA HCS 2012

Eye irritation (Category 2B)

**WARNING**

H320: Causes eye irritation

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363: Wash contaminated clothing before reuse.

P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice or attention.

### 3. Composition/information on ingredients

| Common name   | CAS        | Weight % content |
|---|------------|------------------|
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 10 - 90 %        |
| Distillates (petroleum), hydrotreated heavy paraffinic    | 64742-54-7 | 10 - 90 %        |
| Residual oils (petroleum), solvent-refined                | 64742-01-4 | 10 - 90 %        |
| Propylene Carbonate                                       | 108-32-7   | 0.5 - 1.5 %      |

**Note:** The product is made at 99.9% of a mixture of these highly refined ingredients, containing no polycyclic aromatic hydrocarbon (PAH).

### 4. First-aid measures

|                               |   |
|-------------------------------|---|
| <b>Inhalation</b>             | Move person to fresh air. If not breathing, give artificial respiration. If a problem develops or persists, seek medical attention.   |
| <b>Skin contact</b>           | Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention.   |
| <b>Eye contact</b>            | Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.   |
| <b>Ingestion</b>              | DO NOT INDUCE VOMITING! If victim is conscious wash out mouth with plenty of water. Never give anything by mouth if victim is unconscious or convulsing. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. Seek medical attention or contact a Poison Centre immediately. |
| <b>Other</b>                  | No information available.   |
| <b>Symptoms</b>               | May cause redness and irritation to eyes.   |
| <b>Notes to the physician</b> | No information available.   |

### 5. Fire-fighting measures

|   |  |
|---|--|
| <b>Suitable extinguishing media</b>                 | dry powder, carbon dioxide (CO <sub>2</sub> ), chemical foam. Do not use a heavy water jet.  |
| <b>Specific hazards arising from the chemical</b>   | Non-flammable. May be combustible at high temperature.   |
| <b>Special protective equipment</b>                 | Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.               |
| <b>Special protective actions for fire-fighters</b> | Use water spray to cool fire-exposed containers. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. |

### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet. |
|  |   |

|  |  |
|--|--|
| <b>Environmental precautions</b>                             | Prevent entry into sewers, closed areas and release to the environment. For a large spill, consult the Department of Environment or the relevant authorities.  |
| <b>Methods and materials for containment and cleaning up</b> | Ventilate the area well. Remove sources of ignition. Absorb with inert material (soil, sand, vermiculite) or wipe up or scrape up and place in an appropriate waste disposal container clearly identified. Dispose via a licensed waste disposal contractor. |

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Use in well ventilated area. Avoid contact with eyes. Avoid prolonged contact with skin. Avoid prolonged or repeated breathing of vapours or mists. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet. Avoid contamination with another chemical product. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. After use, wash hands with soap and water. Wash contaminated clothing before reuse. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store tightly close and in properly labelled container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials (see section 10). Keep away from direct sunlight and heat.  |
| <b>Storage temperature</b>  | 10 to 45°C (50 to 113°F)  |

## 8. Exposure controls/personal protection

|   |   |
|---|---|
| <b>Immediately Dangerous to Life or Health</b>            | No IDLH value is reported.  |
| Mixture   | TWA (8h) Mist 5 mg/m <sup>3</sup> ACGIH   |
| Distillates (petroleum), hydrotreated heavy paraffinic    | STEL Mist 10 mg/m <sup>3</sup> NIOSH  |
|   | TWA (8h) Mist 1 mg/m <sup>3</sup> BC  |
| Distillates (petroleum), solvent-refined heavy paraffinic | Mist 5 mg/m <sup>3</sup> ACGIH , NIOSH, ON, OSHA, RSST  |
|   | TWA (8h) Mist 5 mg/m <sup>3</sup> ACGIH , OSHA, RSST  |
| Residual oils (petroleum), solvent-refined                | TWA (8h) Mist 5 mg/m <sup>3</sup> ACGIH , ON, OSHA, RSST  |
| <b>Appropriate engineering controls</b>                   | Provide sufficient mechanical ventilation (general and/or local exhaust) to keep the airborne concentrations of vapours, mists, aerosols or dust below their respective occupational exposure limits.   |
| <b>Individual protection measures</b>                     |   |
| <b>Eye</b>  | Wear safety glasses. If there is a risk of contact with eyes, wear chemical splash goggles.   |
| <b>Hands</b>  | If any risk of skin contact wear nitrile or neoprene gloves. Disposable nitrile gloves can also be used, but discard after single use. Before using, user should confirm impermeability. Discard gloves with tears, pinholes, or signs of wear. Gloves must only be worn on clean hands. Wash gloves with water before removing them. After using gloves, hands should be washed and dried thoroughly.  |
| <b>Skin</b>   | Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code.  |
| <b>Respiratory</b>  | A respirator is not required in a well-ventilated area. Where the conditions in the workplace require a respirator, it is necessary to follow a respiratory protection program. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA. In case of insufficient ventilation or in confined or enclosed space and for an assigned protection factor (APF) up to 10 times the exposure limit, wear a half mask respirator with organic vapour cartridges fitted with P100 filters. For an APF until maximum 100 times of exposure limit, wear a full face respirator mask with organic vapour cartridges and P100 filters. |
| <b>Feet</b>   | Wear rubber boots to clean up a spill.  |



Safety glasses Nitrile gloves

## 9. Physical and chemical properties

|   |                                   |  |                      |
|---|-----------------------------------|--|----------------------|
| <b>Physical state</b>   | Semi-solid (Grease)               | <b>Flammability</b>                          | Non-flammable        |
| <b>Colour</b>   | Amber or black                    | <b>Flammability limits</b>                   | N/Av.                |
| <b>Odour</b>  | Characteristic                    | <b>Flash point</b>                           | N/Av.                |
| <b>Odour threshold</b>  | N/Av.                             | <b>Auto-ignition temperature</b>             | >350 °C (662 °F)     |
| <b>pH</b>   | N/Av.                             | <b>Sensibility to electrostatic charges</b>  | N/Av.                |
| <b>Melting point</b>  | 5 °C (41 °F)                      | <b>Sensibility to sparks and/or friction</b> | N/Av.                |
| <b>Freezing point</b>   | 5 °C (41 °F)                      | <b>Vapour density</b>                        | >1 (Air = 1)         |
| <b>Boiling point</b>  | N/Av.                             | <b>Relative density</b>                      | 0.9 kg/L (Water = 1) |
| <b>Solubility</b>   | Insoluble in water.               | <b>Partition coefficient n-octanol/water</b> | N/Av.                |
| <b>Evaporation rate</b>   | < Butyl Acetate                   | <b>Decomposition temperature</b>             | N/Av.                |
| <b>Vapour pressure</b>  | <1kPa (7.5 mm Hg) @ 25 °C (77 °F) | <b>Viscosity</b>                             | N/Av.                |
| <b>Percent Volatile</b>   | N/Av.                             | <b>Molecular mass</b>                        | N/Av.                |
| N/Av.: Not Available    N/Av.: Not Applicable    Und.: Undetermined    N/E: Not Established |                                   |  |                      |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>   | No known dangerous reactions.   |
| <b>Chemical stability</b>   | Stable under recommended storage conditions.  |
| <b>Possibility of hazardous reactions (including polymerizations)</b> | Hazardous polymerization will not occur.  |
| <b>Conditions to avoid</b>  | Avoid contact with incompatible materials.  |
| <b>Incompatible materials</b>   | Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates). |
| <b>Hazardous decomposition products</b>                               | Under normal conditions of storage and use, hazardous decomposition products should not be produced.  |


## 11. Toxicological information

|   |   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
|---|---|--|--|---|---|--|--|---------------------|--|--|---|--------------------------------|------------------------|------------------------|---|---------------------|---|------------------------------|--|---|----------------------------|---|----------------------------|
| <b>Numerical measures of toxicity</b>                     | <table border="0"> <tr> <td data-bbox="277 113 938 184">Distillates (petroleum), hydrotreated heavy paraffinic</td> <td data-bbox="938 113 1563 184">Ingestion &gt;15000 mg/kg Rat LD50<br/>Skin &gt;5000 mg/kg Rabbit LD50</td> </tr> <tr> <td data-bbox="277 184 938 289">Distillates (petroleum), solvent-refined heavy paraffinic</td> <td data-bbox="938 184 1563 289">Ingestion &gt;5000 mg/kg Rat LD50<br/>Inhalation 2.18 mg/l/4h Rat LC50<br/>Skin &gt;5000 mg/kg Rabbit LD50</td> </tr> <tr> <td data-bbox="277 289 938 394">Residual oils (petroleum), solvent-refined</td> <td data-bbox="938 289 1563 394">Ingestion &gt;5000 mg/kg Rat LD50<br/>Inhalation 2.18 mg/l/4h Rat LC50<br/>Skin &gt;5000 mg/kg Rabbit LD50</td> </tr> <tr> <td data-bbox="277 394 938 516">Propylene Carbonate</td> <td data-bbox="938 394 1563 516">Ingestion &gt;29000 mg/kg Rat LD50<br/>Inhalation &gt;5 mg/l/4h Rat LC50<br/>Skin &gt;20000 mg/kg Rabbit LD50</td> </tr> </table>  | Distillates (petroleum), hydrotreated heavy paraffinic | Ingestion >15000 mg/kg Rat LD50<br>Skin >5000 mg/kg Rabbit LD50  | Distillates (petroleum), solvent-refined heavy paraffinic | Ingestion >5000 mg/kg Rat LD50<br>Inhalation 2.18 mg/l/4h Rat LC50<br>Skin >5000 mg/kg Rabbit LD50  | Residual oils (petroleum), solvent-refined | Ingestion >5000 mg/kg Rat LD50<br>Inhalation 2.18 mg/l/4h Rat LC50<br>Skin >5000 mg/kg Rabbit LD50   | Propylene Carbonate | Ingestion >29000 mg/kg Rat LD50<br>Inhalation >5 mg/l/4h Rat LC50<br>Skin >20000 mg/kg Rabbit LD50 |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| Distillates (petroleum), hydrotreated heavy paraffinic    | Ingestion >15000 mg/kg Rat LD50<br>Skin >5000 mg/kg Rabbit LD50   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| Distillates (petroleum), solvent-refined heavy paraffinic | Ingestion >5000 mg/kg Rat LD50<br>Inhalation 2.18 mg/l/4h Rat LC50<br>Skin >5000 mg/kg Rabbit LD50  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| Residual oils (petroleum), solvent-refined                | Ingestion >5000 mg/kg Rat LD50<br>Inhalation 2.18 mg/l/4h Rat LC50<br>Skin >5000 mg/kg Rabbit LD50  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| Propylene Carbonate                                       | Ingestion >29000 mg/kg Rat LD50<br>Inhalation >5 mg/l/4h Rat LC50<br>Skin >20000 mg/kg Rabbit LD50  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Likely routes of exposure</b>                          | Skin, eyes, inhalation, ingestion.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Delayed, immediate and chronic effects</b>             | <table border="0"> <tr> <td data-bbox="277 600 537 705"><b>Eye contact</b></td> <td data-bbox="537 600 1563 705">Eye Irritation/Corrosion, Rabbit (OECD TG 405): tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. May cause redness and irritation to eyes.</td> </tr> <tr> <td data-bbox="277 705 537 810"><b>Skin contact</b></td> <td data-bbox="537 705 1563 810">Skin Irritation/Corrosion, Rabbit (OECD 404) : tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. Prolonged or repeated contact may cause defatting dermatitis.</td> </tr> <tr> <td data-bbox="277 810 537 936"><b>Inhalation</b></td> <td data-bbox="537 810 1563 936">Generally speaking, working cleanly and following basic precautionary measures will greatly minimize the potential for harmful exposure to this product under normal use conditions. Exposure to high concentrations of vapor from heated product may cause headache, dizziness.</td> </tr> <tr> <td data-bbox="277 936 537 999"><b>Ingestion</b></td> <td data-bbox="537 936 1563 999">Low degree of acute toxicity. May cause gastrointestinal irritation with nausea and vomiting.</td> </tr> <tr> <td data-bbox="277 999 537 1073"><b>Respiratory or skin sensitization</b></td> <td data-bbox="537 999 1563 1073">This product is not a skin or respiratory sensitizer. Skin sensitisation, Guinea pig: tests performed with each ingredient of this mixture gave negative results.</td> </tr> <tr> <td data-bbox="277 1073 537 1146"><b>IARC/NTP Classification</b></td> <td data-bbox="537 1073 1563 1146">No ingredients listed.</td> </tr> <tr> <td data-bbox="277 1146 537 1272"><b>Carcinogenicity</b></td> <td data-bbox="537 1146 1563 1272">The following information has been reported for the aliphatic petroleum distillates with regards to carcinogenicity (IARC, 1987): Untreated and mildly-treated oils are carcinogenic to humans (Group 1), and highly-refined oils are not classified as carcinogenic to humans.</td> </tr> <tr> <td data-bbox="277 1272 537 1314"><b>Mutagenicity</b></td> <td data-bbox="537 1272 1563 1314">This material is not known to cause mutagenic effect.</td> </tr> <tr> <td data-bbox="277 1314 537 1377"><b>Reproductive toxicity</b></td> <td data-bbox="537 1314 1563 1377">This material is not known to cause effects on reproduction.</td> </tr> <tr> <td data-bbox="277 1377 537 1472"><b>Specific target organ toxicity - single exposure</b></td> <td data-bbox="537 1377 1563 1472">No target organ is listed.</td> </tr> <tr> <td data-bbox="277 1472 537 1583"><b>Specific target organ toxicity - repeated exposure</b></td> <td data-bbox="537 1472 1563 1583">No target organ is listed.</td> </tr> </table> | <b>Eye contact</b>                                     | Eye Irritation/Corrosion, Rabbit (OECD TG 405): tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. May cause redness and irritation to eyes. | <b>Skin contact</b>                                       | Skin Irritation/Corrosion, Rabbit (OECD 404) : tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. Prolonged or repeated contact may cause defatting dermatitis. | <b>Inhalation</b>                          | Generally speaking, working cleanly and following basic precautionary measures will greatly minimize the potential for harmful exposure to this product under normal use conditions. Exposure to high concentrations of vapor from heated product may cause headache, dizziness. | <b>Ingestion</b>    | Low degree of acute toxicity. May cause gastrointestinal irritation with nausea and vomiting.      | <b>Respiratory or skin sensitization</b> | This product is not a skin or respiratory sensitizer. Skin sensitisation, Guinea pig: tests performed with each ingredient of this mixture gave negative results. | <b>IARC/NTP Classification</b> | No ingredients listed. | <b>Carcinogenicity</b> | The following information has been reported for the aliphatic petroleum distillates with regards to carcinogenicity (IARC, 1987): Untreated and mildly-treated oils are carcinogenic to humans (Group 1), and highly-refined oils are not classified as carcinogenic to humans. | <b>Mutagenicity</b> | This material is not known to cause mutagenic effect. | <b>Reproductive toxicity</b> | This material is not known to cause effects on reproduction. | <b>Specific target organ toxicity - single exposure</b> | No target organ is listed. | <b>Specific target organ toxicity - repeated exposure</b> | No target organ is listed. |
| <b>Eye contact</b>  | Eye Irritation/Corrosion, Rabbit (OECD TG 405): tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. May cause redness and irritation to eyes.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Skin contact</b>                                       | Skin Irritation/Corrosion, Rabbit (OECD 404) : tests performed with each ingredient of this mixture gave not irritating to slightly irritating results. Prolonged or repeated contact may cause defatting dermatitis.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Inhalation</b>   | Generally speaking, working cleanly and following basic precautionary measures will greatly minimize the potential for harmful exposure to this product under normal use conditions. Exposure to high concentrations of vapor from heated product may cause headache, dizziness.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Ingestion</b>  | Low degree of acute toxicity. May cause gastrointestinal irritation with nausea and vomiting.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Respiratory or skin sensitization</b>                  | This product is not a skin or respiratory sensitizer. Skin sensitisation, Guinea pig: tests performed with each ingredient of this mixture gave negative results.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>IARC/NTP Classification</b>                            | No ingredients listed.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Carcinogenicity</b>                                    | The following information has been reported for the aliphatic petroleum distillates with regards to carcinogenicity (IARC, 1987): Untreated and mildly-treated oils are carcinogenic to humans (Group 1), and highly-refined oils are not classified as carcinogenic to humans.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Mutagenicity</b>                                       | This material is not known to cause mutagenic effect.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Reproductive toxicity</b>                              | This material is not known to cause effects on reproduction.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Specific target organ toxicity - single exposure</b>   | No target organ is listed.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Specific target organ toxicity - repeated exposure</b> | No target organ is listed.  |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Interactive effects</b>                                | No information available.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |
| <b>Other information</b>                                  | No information available.   |  |  |   |   |  |  |                     |  |  |   |                                |                        |                        |   |                     |   |                              |  |   |                            |   |                            |

## 12. Ecological information

|                                  |   |
|----------------------------------|---|
| <b>Ecological toxicity</b>       | Fish, various LC50 SES / NES<br>Aquatic Invertebrates, various EC50 SES / NES<br>Aquatic Plant - various EC50 SES / NES   |
| <b>Persistence</b>               | Moderately persistent in the environment.   |
| <b>Degradability</b>             | Biodegradable (<30% in 28 days). The product is a heavy hydrocarbon mixture in which some ingredients are not readily biodegradable (OECD 301B, IUCLID).  |
| <b>Bioaccumulative potential</b> | Log Kow values ranging from about 5 to 25. Bioconcentration Factor (BCF) between 0.9 and 750000 for the mixture. These values indicate a high degree of bioaccumulation.  |
| <b>Mobility in soil</b>          | Insoluble in water. This mixture is likely to have high Koc values (>5000), indicating a high degree of sorption to the organic matter in soils. This value suggests that some components will display low mobility and some will be essentially immobile in soil. This product pollutes water and contaminates the soil. |
| <b>Other adverse effects</b>     | Due to the very low solubility of these chemicals in water, the acute toxicity to fish and aquatic invertebrates, and the toxicity to aquatic plants are considered to be no effects at saturation (NES). The chronic toxicity to aquatic invertebrates is also considered to be no effects at saturation (NES).          |

## 13. Disposal considerations

|  |   |
|--|---|
|  | <p><b>Container</b> Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Non-use oils or waste oils can be reprocessed (recycle) where there is a recovery program. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.</p> |
|--|---|

## 14. Transport information

|   |   |
|---|---|
| <b>UN Number</b>  | UN  |
| <b>UN Proper Shipping Name</b>  | Not regulated by TDG (Canada) and 49 CFR DOT (USA). |
| <b>Environmental hazards</b>  | This material is not listed as a marine pollutant.  |
| <b>Special precautions for user</b>   | No information available for this product.          |
| <b>TDG - Transportation of Dangerous Goods (Canada)</b>   |   |
| <b>Transport hazard class(es)</b>   | Not regulated                                       |
| <b>Packing group</b>  | Not regulated                                       |
| <b>Emergency response guidebook 2016</b>  |   |
| <b>IMO/IMDG - International Maritime Transport</b>  |   |
| <b>Classification</b>   | Not regulated                                       |
| <b>IATA - International Air Transport Association</b>   |   |
| <b>Classification</b>   | Not regulated                                       |
| <p>These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.</p> |   |

## 15. Regulatory information

|                          |   |
|--------------------------|---|
| <b>Other regulations</b> | <p>UNITED STATE OF AMERICA:</p> <ul style="list-style-type: none"> <li>- Toxic Substance Control Act (TSCA) :<br/>All ingredients are listed in the TSCA Inventory.</li> <li>- EPCRA Section 302/304 Extremely Hazardous Substances:<br/>No material is listed.</li> <li>- EPCRA Section 313 Toxic Chemicals:<br/>No material is listed.</li> <li>- CERCLA Hazardous Substances:<br/>No material is listed.</li> <li>- California Proposition 65:<br/>No material is listed.</li> </ul> <p>CANADA :</p> <ul style="list-style-type: none"> <li>- List of Toxic Substances Managed Under CEPA 1999 (annexe 1, Canadian Environmental Protection Act):<br/>No material is listed.</li> <li>- Canada DSL and NDSL:<br/>All ingredients are listed in the Domestic Substances List (DSL).</li> <li>- Canadian National Pollutant Release Inventory Substances (NPRI):<br/>No material is listed.</li> </ul> |
|                          | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p><b>HMIS</b></p> <p>① Health<br/>① Flammability<br/>① Reactivity<br/>ⓧ Protective Equipment</p> </div> <div style="text-align: center;"> <p><b>NFPA</b></p> </div> </div>  |

## 16. Other information

|                          |  |
|--------------------------|--|
| <b>Date (YYYY-MM-DD)</b> | Ideal Perfor. 2016-05-29   |
| <b>Version</b>           | 01   |
| <b>Other information</b> | <p>REFERENCES:</p> <ul style="list-style-type: none"> <li>- Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, <a href="http://hazmap.nlm.nih.gov/index.php">http://hazmap.nlm.nih.gov/index.php</a></li> <li>- High Production Volume (HPV) Chemical Challenge Program, U.S. EPA, <a href="http://www.epa.gov/hpv/">http://www.epa.gov/hpv/</a></li> <li>- Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), <a href="http://www.reptox.csst.qc.ca">http://www.reptox.csst.qc.ca</a></li> <li>- OECD Existing Chemicals Database, Chemicals Screening Information DataSet (SIDS) for High Volume Chemicals, UNEP publications, <a href="http://webnet.oecd.org/HPV/UI/Search.aspx">http://webnet.oecd.org/HPV/UI/Search.aspx</a></li> </ul> <p>ACGIH: American Conference of Governmental Industrial Hygienists<br/>         AIHA: American Industrial Hygiene Association<br/>         HMIS: Hazardous Materials Identification System<br/>         NFPA: National Fire Protection Association<br/>         OSHA: Occupational Safety and Health Administration (USA)<br/>         NIOSH: National Institute for Occupational Safety and Health<br/>         NTP: National Toxicology Program<br/>         RSST: Règlement sur la santé et la sécurité du travail (Québec)<br/>         GHS: Globally Harmonized System<br/>         IARC: International Agency for Research on Cancer<br/>         IDLH: Immediately Dangerous to Life or Health<br/>         STEL: Short Term Exposure Limit (15 min)<br/>         TWA: Time Weighted Averages<br/>         WHMIS: Workplace Hazardous Materials Information System</p> <p>To the best of our knowledge, the information contained herein is accurate. However, neither Prizventis System nor any of its subsidiaries assumes any</p> |

liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.