

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS #: 083359 KILFROST AIRTOOL LUBE

Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

1. IDENTIFICATION

Product identifier

Product name KILFROST AIRTOOL LUBE

Other means of identification

Product Code(s) 083359

Number 7Z3

Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Antifreeze. Lubricant.

Uses advised against Do not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc

1201 Louisiana Street, Suite 1800

Houston, TX 77002 Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

Emergency telephone number

Company Phone Number +1 (908) 862-9300

Emergency telephone +1 866 928 0789 (24h/24, 7d/7) +1 215 207 0061 (24h/24, 7d/7)

2. HAZARDS IDENTIFICATION

Classification

Acute Toxicity - Oral - Category 4

Specific target organ systemic toxicity (repeated exposure) - Category 2

Label elements



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3





WARNING

Harmful if swallowed

May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

Unknown Acute Toxicity

68.164% of the mixture consists of ingredient(s) of unknown toxicity

Hazards not otherwise classified (HNOC)

None known

Other information

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

| Chemical Name | CAS-No | Weight % |
|---|-------------|----------|
| Monoethyleneglycol | 107-21-1 | 55-60 |
| Benzene, mono-C10-13-alkyl derivitives, fractionation bottoms, heavy ends, sulfonated, sodium salts | 148520-82-5 | 5-10 |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 3-5 |



SDS #: 083359

KILFROST AIRTOOL LUBE

Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

| sodium salts | Benzenesulfonic acid, C10-14-alkyl derivitives, sodium salts | 69669-44-9 | 1-5 |
|--------------|--|------------|-----|
|--------------|--|------------|-----|

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this material safety data sheet to the doctor in attendance. If symptoms persist, call a

physician. Do not breathe dust/fume/gas/mist/vapors/spray. IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Skin contact Consult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Consult a physician. Inhalation

of high concentrations of vapor or aerosols may cause irritation of the upper respiratory

tract.

Ingestion If symptoms persist, call a physician. Rinse mouth. Do NOT induce vomiting. Drink plenty of

water. If swallowed, do not induce vomiting - seek medical advice. Never give anything by

mouth to an unconscious person.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Skin contact Causes mild skin irritation.

Eye contact Not classified. Avoid contact with eyes. May cause eye irritation with susceptible persons.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Harmful if swallowed. May cause damage to organs through prolonged or repeated

exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Itching. Difficulty breathing. Coughing and/ or wheezing.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. May cause sensitization of susceptible persons.



SDS #: 083359

KILFROST AIRTOOL LUBE

Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Foam. Carbon dioxide (CO₂). ABC powder.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

<u>Special Hazard</u> Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Avoid contact with skin, eyes and clothing. Use personal protective equipment. Do not

touch or walk through spilled material. Contaminated surfaces will be extremely slippery.

Evacuate personnel to safe areas. Ensure adequate ventilation.

Other information See Section 12 for additional information.

Environmental precautions

General Information Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses. See Section 12 for additional

Ecological Information.

Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for

disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use mechanical means such as pumps and

absorbent materials.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this

product. Wear personal protective equipment. Prevent the formation of vapors, mists and aerosols. When using, do not eat, drink or smoke. For personal protection see section 8.

Use only in well-ventilated areas. Do not breathe vapors or spray mist.



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

Hygiene measures

Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Wash hands with water as a precaution. Do not wash off with: Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from direct sunlight.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m 3 , NIOSH (REL) TWA 5 mg/m 3 , STEL 10 mg/m 3 , ACGIH

(TLV) TWA 5 mg/m³ (highly refined).

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------|-------------------------------|--|------------|
| Monoethyleneglycol | Ceiling 100 mg/m ³ | (vacated) Ceiling: 50 ppm | |
| 107-21-1 | | (vacated) Ceiling: 125 mg/m ³ | |

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Eye/Face Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protectionLong sleeved clothing. Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Protective gloves. Nitrile rubber. Neoprene gloves. Please observe the instructions

regarding permeability and breakthrough time which are provided by the supplier of the



SDS #: 083359

KILFROST AIRTOOL LUBE

Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

gloves. Also take into consideration the specific local conditions under which the product is

used, such as the danger of cuts, abrasion, and the contact time.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Wash hands with water as a precaution. Do not wash off with: Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Color amber Physical State @20°C liquid

Odor Slight

Odor Threshold No information available

PropertyValuesRemarksMethodpHNo information available

pH (as aqueous solution) 8.2 solution (50 %)

Melting point/range No information available

Boiling point/boiling range Not applicable

Flash point Not applicable

Evaporation rate No information available

Flammability Limits in Air

No information available

upper-No information availableLower-No information availableVapor PressureNo information availableVapor densityNo information available

 Relative density
 1.07
 @ 15 °C

 Density
 1071 kg/m³
 @ 15 °C

Water solubility Not applicable

Solubility in other solvents

No information available



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

@ 40 °C

logPowNo information availableAutoignition temperatureNo information available

Autoignition temperatureNo information availableDecomposition temperatureNo information available

Viscosity, kinematic 24.7 mm2/s
Explosive properties Not explosive
Oxidizing Properties Not applicable
Possibility of hazardous reactions Not applicable

Other information

Specific Gravity 1.07 @ 15 °C

Freezing Point No information available

Pour point -45.5 °C ASTM D 97

10. STABILITY AND REACTIVITY

Reactivity No information available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Conditions to Avoid</u> Heat, flames and sparks. Take precautionary measures against static discharges. Heat

(temperatures above flash point), sparks, ignition points, flames, static electricity. Strong

oxidizing agents.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Itching. Difficulty breathing. Coughing and/ or wheezing.

Skin contact Causes mild skin irritation.

Eye contact Not classified. Avoid contact with eyes. May cause eye irritation with susceptible persons.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Harmful if swallowed. May cause damage to organs through prolonged or repeated

exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

Product Information Product does not present an acute toxicity hazard based on known or supplied information.



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

Oral

ATEmix (oral) 719 mg/kg

Dermal

ATEmix (dermal) 58331 mg/kg

Inhalation

ATEmix (inhalation-dust/mist) 7.5 mg/l ATEmix (inhalation-vapor) 94.7 mg/l

Acute toxicity - Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|----------------------------|--------------------------|---|
| Monoethyleneglycol | LD50 7712 mg/kg Oral (Rat) | LD50 > 3500 mg/kg Dermal | LC50(6h) >2.5 mg/l Inhalation (Rat) |
| 107-21-1 | | (Mouse) | |
| Benzene, mono-C10-13-alkyl derivitives, fractionation bottoms, heavy ends, sulfonated, sodium salts 148520-82-5 | 404 mg/kg (Rat) | | |
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | > 5000 mg/kg(Rat) | > 2000 mg/kg(Rabbit) | LC50 (4h) 5.53 mg/l (Rat - Aerosol - OECD 403) |

Sensitization Not classified as a sensitizer. Contains sensitizer(s).

Carcinogenicity This product is not classified carcinogenic

Carcinogenicity This product is not classified carcinogenic.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|------|-----|------|
| Distillates (petroleum), | - | - | | - |
| hydrotreated heavy | | | | |
| naphthenic | | | | |
| 64742-52-5 | | | | |

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicityThis product does not present any known or suspected reproductive hazards. **STOT - repeated exposure**May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and | Toxicity to |
|---------------|-------------------|------------------|-----------------------------|----------------|
| | | | other aquatic invertebrates | microorganisms |



SDS #: 083359 KILFROST AIRTOOL LUBE

Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

| Monoethylenegly 107-21-1 | col | LC50 (95h) 72860 mg/l (Phimephales promelas) LC50(96h) 18500 mg/l (Rainbow trout) EC50(96h) 6500-13000 mg/l (Selenastrum capricornulum) | | |
|---|-----|--|---|--|
| Distillates (petroleu hydrotreated hea naphthenic 64742-52-5 | ,, | LC50 (96h) > 100 mg/l (Pimephales promelas - static - OECD 203) | EL50 (48h) > 10000 mg/l (Daphnia magna - static - OECD 202) | |

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to daphnia and | Toxicity to fish | Toxicity to |
|--------------------------|-------------------|-----------------------------|------------------|----------------|
| | | other aquatic invertebrates | - | microorganisms |
| Distillates (petroleum), | | NOEL (21d) 10 mg/l | | |
| hydrotreated heavy | | (Daphnia magna - semi | | |
| naphthenic | | static - OECD 211) | | |
| 64742-52-5 | | 1 | | |

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

General Information No information available.

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information

| Chemical Name | log Pow |
|--------------------------------|---------|
| Monoethyleneglycol 107-21-1 | -1.36 |

Mobility

Soil No information available

Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

Waste treatment

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes 221

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories
All the substances contained in this product are listed or exempted from listing in the

following inventories:

U.S.A. (TSCA) Australia (AICS) Canada (DSL/NDSL)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|--------------------|----------|----------|----------------------------------|
| Monoethyleneglycol | 107-21-1 | 55-65 | 1.0 |

SARA 311/312 Hazard Categories



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

| Chemical Name | CAS-No | Weight % | HAPS data | VOC Chemicals | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|--------------------|----------|----------|-----------|---------------|----------------------------|----------------------------|
| Monoethyleneglycol | 107-21-1 | 55-60 | | Group I | | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|--------------------|--------------------------|------------------------------------|
| Monoethyleneglycol | 5000 lb | |

U.S. State Regulations

California Proposition 65

This product contains chemicals known to the State of California to cause cancer or reproductive toxicity

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois |
|--|---------------|------------|--------------|----------|
| Monoethyleneglycol 107-21-1 | X | Х | X | Х |
| Distillates (petroleum), hydrotreated light naphthenic 64742-53-6 | X | | | |

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 0 Instability 0 Physical and chemical

hazards
HMIS Health Hazard 2 Flammability 0 Physical Hazard 0 Personal protection X

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)



Date of the previous version: 2015-10-13 Revision Date: 2016-05-06 Version 3

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2016-05-06

Revision Note *** Indicates updated section

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet